

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	SEAC -2013/CR-550/ TC-2
Compliance ID	1015275778
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1015275778/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	30-06-2026
RO/SRO Name	Shri Senthil Kumar Sampath
RO/SRO Email	agmu156@ifs.nic.in
State	MAHARASHTRA
RO/SRO Office Address	Integrated Regional Offices, Nagpur

Note:- SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, MAHARASHTRA with Notification to Project Proponent.

ACL/HSE&F/09/26-27

Date: 30th June 2026

To,

Additional Principal Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building Civil Lines,
Nagpur.

Subject: Submission of Six-monthly post EC compliance report (**Period: October 2025 to March 2026**) for **M/s. Aquapharm Chemicals Pvt. Ltd.** Plot No. K-3/1, K -3/2, K- 3/3, MIDC Mahad, Tal-Mahad, Dist.-Raigad

Reference: EC File No: SEAC-2013/CR-550/TC-2 dated 8th Oct, 2015

Respected Sir/Madam,

With reference to above EC, We are herewith submitting compliance of general conditions for Aquapharm Chemicals Pvt. Ltd. Plot K-3/1,2&3 , Additional MIDC, Mahad, Tal Mahad , Dist.-Raigad, as per the details in Annexure – I.

Kindly acknowledge the report and record it

Yours faithfully

For M/s. Aquapharm Chemicals Pvt. Ltd.



Dr. Sharad Potghan
(VP –Works)

Copy to:

1. Regional Officer, Raigad, Maharashtra Pollution Control Board, 6th floor, Raigad Bhavan, Sector 11, CBD Belapur, Navi Mumbai.
2. Sub-Regional Officer, Maharashtra Pollution Control Board, Mahad, Samaik Suvidha Kendra Building, MIDC-Mahad, Dist- Raigad-402309

Aquapharm Chemical Limited

Site Office: Plot No.K2/4,K-3/1,K3/2,K3/3, Additional MIDC, Mahad, Ta. Mahad, Dist. Raigad - 402 302, Maharashtra, India.

Registered Office: 9th & 10th Floor, Amar Synergy, 12B, Sadhu Vaswani Road, Pune 411 001, Maharashtra, India.

P: 9607969237/ 38 / 9921007966 / 8380087198 | E: pcbl.investor@rpsg.in | F: +91 20 2605 3396 | W: www.aquapharm-india.com | CIN: U20299PN2024PLC227198

Note: With effect from 1 January 2025, Aquapharm Chemicals Private Limited stands amalgamated with Advaya Chemical Industries Limited
"Aquapharm Chemical Limited" was formerly known as "Advaya Chemical Industries Limited"

Half Yearly Compliance Report**2026****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

Proposal Name	Synthetic Organic Chemicals Manufacturing Unit at Plot No. K-3/1, K-3/2, K-3/3, Mahad MIDC, Taluka- Mahad, District  Raigad, Maharashtra by M/s. Aquapharm Chemicals Pvt. Ltd.		
Name of Entity / Corporate Office	Mr. Avinash Dattaram Khaire		
Village(s)	N/A		
District	RAIGAD		
Proposal No.	SEAC -2013/CR-550/TC-2	Category	Industrial Projects - 3
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	MAHARASHTRA	Entity's PAN	*****7014R
MoEF File No.	SEAC -2013/CR-550/TC-2	Entity name as per PAN	AQUAPHARM CHEMICALS PRIVATE LIMITED

Compliance Reporting Details

Reporting Year	2026
Remarks (if any)	Post EC submission for the period 1st October 2025 to 31st March 2026
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office Mr. Avinash Dattaram Khaire

	Project Area as per EC Granted	Actual Project Area in Possession
Private	73547	62899
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	73547	62899

Others Area

Sr. no	Other Name	Area Granted	Area Actual
--------	------------	--------------	-------------

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Alkyl Phosphonate	Tons per Annum (TPA)	31/01/2030	34785	15792	34785
2	Amine Phosphonates	Tons per Annum (TPA)	31/01/2030	11352	1717	11352
3	Salt of Alkyl Phosphonates	Tons per Annum (TPA)	31/01/2030	16790	6000	16790
4	Salt of Amine Phosphonates	Tons per Annum (TPA)	31/01/2030	14600	4806	14600
5	Polymers	Tons per Annum (TPA)	31/01/2030	10220	2116	10220
6	Eco friendly Products	Tons per Annum (TPA)	31/01/2030	19710	1119	19710
7	Methylene Bis-Thiocyanate	Tons per Annum (TPA)	31/01/2030	548	0	548
8	Halogen Derivatives and Family	Tons per Annum (TPA)	31/01/2030	44895	31105	44895
9	DBNPA	Tons per Annum (TPA)	31/01/2030	365	0	365
10	Phosphonic Acid (H3PO3)	Tons per Annum (TPA)	31/01/2030	5500	5160	5500

Conditions

General Conditions

Sr.No.	Condition Type	Condition Details
1	Risk Mitigation and Disaster Management	This environment clearance is issued subject to increase height of hazardous storage tank up to 1.2 feet.
PPs Submission: Complied Completed		Date: 30/06/2026
2	Risk Mitigation and Disaster Management	Project Proponent shall be responsible for end disposal of hazardous waste to authorized dealer.
PPs Submission: Complied Completed, please see attached Annexure 8 - Haz waste membership certificate		Date: 30/06/2026
3	MISCELLANEOUS	This environment clearance is issued subject to BOD Level to be

		improved and shall be maintained within the limits prescribed by LPRB / MPCB.
PPs Submission: Complied Completed, please see attached Annexure 6 -ETP and STP BOD analysis report		Date: 30/06/2026
4	Statutory compliance	MPCB shall conduct regulate/ surprise checks to ensure maintenance of emission standards as per laid down norms.
PPs Submission: Complied Yes, MPCB field officers carried out visits to factory		Date: 30/06/2026
5	WATER QUALITY MONITORING AND PRESERVATION	PP to install RO plant.
PPs Submission: Complied RO plant installed and in operation		Date: 30/06/2026
6	Statutory compliance	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
PPs Submission: Complied Noted		Date: 30/06/2026
7	Human Health Environment	For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured
PPs Submission: Complied Water sprinkling practiced, please see attached Annexure 1 - Boiler stack monitoring report		Date: 30/06/2026
8	AIR QUALITY MONITORING AND PRESERVATION	Regular monitoring of the air quality, including SPM & SO2 levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.
PPs Submission: Complied Please see attached Annexure 3 - AAQM monitoring report		Date: 30/06/2026
9	Human Health Environment	Necessary arrangement shall be made to adequate safety and ventilation arrangement in furnace area
PPs Submission: Complied Noted.		Date: 30/06/2026
10	Human Health Environment	Proper housekeeping programmers shall be implemented.
PPs Submission: Complied Yes, Proper housekeeping maintained		Date: 30/06/2026
11	AIR QUALITY MONITORING AND	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and

	PRESERVATION	shall not be restarted until the desired efficiency has been achieved.
PPs Submission: Complied Noted		Date: 30/06/2026
12	MISCELLANEOUS	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
PPs Submission: Complied Please see attached Annexure 4 - DG stack monitoring report		Date: 30/06/2026
13	WATER QUALITY MONITORING AND PRESERVATION	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
PPs Submission: Complied Yes, rainwater being harvested		Date: 30/06/2026
14	WATER QUALITY MONITORING AND PRESERVATION	Arrangement shall be made that effluent and storm water does not get mixed.
PPs Submission: Complied Yes, In the factory provided storm drains and plant drains are separated		Date: 30/06/2026
15	Statutory compliance	Periodic monitoring of ground water shall be undertaken and result analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
PPs Submission: Complied Yes, please see attached Annexure 7 - Ground water analysis reports		Date: 30/06/2026
16	Noise Monitoring & Prevention	Noise level shall be maintained as per standards. For the people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
PPs Submission: Complied Noise levels maintained as per standards. Please see attached Annexure 11 - Noise monitoring report		Date: 30/06/2026
17	Noise Monitoring & Prevention	The overall noise levels in and around the plant are shall be kept well within the standards by providing the noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise level shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
PPs Submission: Complied Yes, the overall noise levels in and around the plant are kept well within the standards. please see attached Annexure 11 - Noise monitoring report		Date: 30/06/2026
18	GREENBELT	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Department.

PPs Submission: Complied Guidelines followed, please see attached Annexure - 9 for List of Plant Species		Date: 30/06/2026
19	Human Health Environment	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
PPs Submission: Complied Noted		Date: 30/06/2026
20	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
PPs Submission: Complied Yes, record maintained as per Factories Act.		Date: 30/06/2026
21	Human Health Environment	The company shall make arrangement for protection of possible fire hazards during manufacturing process in the material handling.
PPs Submission: Complied Fire hydrant system provided which is online for 24X7.		Date: 30/06/2026
22	Statutory compliance	The project authorities must strictly comply with the rules and regulation with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collection /treatment/storages/disposal of hazardous wastes.
PPs Submission: Complied Yes, please see attached Annexure 8 - Haz waste membership certificate		Date: 30/06/2026
23	WASTE MANAGEMENT	The company shall undertake following Waste Minimization Measures: Meeting of the quantities of active ingredients to minimize the waste. Reuse of by-products from the process as raw materials or as raw material substitutes in the other process. Maximizing Recoveries. Use of automated material transfer system to minimize spillage.
PPs Submission: Complied Noted		Date: 30/06/2026
24	Risk Mitigation and Disaster Management	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes/improvements required. If any, in the on-site management plan shall be ensured.
PPs Submission: Complied Yes, please see attached Annexure 10 - Mock drill report		Date: 30/06/2026
25	MISCELLANEOUS	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

PPs Submission: Complied Yes, established		Date: 30/06/2026
26	Human Health Environment	Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of ash.
PPs Submission: Complied Yes, Transportation of ash transported through closed containers		Date: 30/06/2026
27	WASTE MANAGEMENT	Separate silos will be provided for collecting and storing bottom ash and fly ash.
PPs Submission: Complied Yes, provided		Date: 30/06/2026
28	MISCELLANEOUS	Separate fund shall be allocated for implementation of environmental protection measures / EMP along with item-wise breaks-up. This cost shall be included as part of the project cost. The funds earmarked for the environment for the environment protection measures shall not be diverted for the other purposes and year wise expenditure should reported to the MPCB & this department.
PPs Submission: Complied Noted		Date: 30/06/2026
29	Statutory compliance	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov
PPs Submission: Complied Yes, published in local newspaper Dainik Sagar Raigad (P-9) dated, Tuesday 29th Oct. 2024. Please see attached Annexure 2 - EC Advertisement in Dainik Sagar (P-9)		Date: 30/06/2026
30	Statutory compliance	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and condition in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
PPs Submission: Complied Noted		Date: 30/06/2026
31	Statutory compliance	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestion/representation, if any were received processing the proposal. The clearance letter shall be also be put on the website of the company by the proponent.
PPs Submission: Complied Noted		Date: 30/06/2026
32	Statutory compliance	The proponent shall upload the status of compliance of the stipulated EC condition, including results of monitored data on their

		website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant level namely; SPM, RSPM, SO ₂ , NO _x (ambient level as well as stack emission) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
PPs Submission: Complied Noted		Date: 30/06/2026
33	Statutory compliance	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC condition including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB
PPs Submission: Complied Noted		Date: 30/06/2026
34	Statutory compliance	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as Prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of the compliance of EC condition and shall also be sent to the respective Regional Offices of MoEF by e-mail.
PPs Submission: Complied Yes, Environmental statement - Form V submitted for FY 2024-25 on dated, 17th Sep 2025. please see attached Annexure 5 - Environment Statement 2024-25		Date: 30/06/2026
35	Statutory compliance	The environmental clearance is being issued without prejudice to the action initiated under EP act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP act.
PPs Submission: Complied Noted		Date: 30/06/2026
36	Statutory compliance	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
PPs Submission: Complied Noted		Date: 30/06/2026
37	Statutory compliance	Validity of Environmental Clearance: The environmental clearance accorded shall be valid for a period of 7 years as per MoEF&CC Notification dated 29th April, 2015 to start of production operations.

PPs Submission: Complied Noted		Date: 30/06/2026
38	MISCELLANEOUS	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(S) imposed and to incorporate additional environmental protection measures required, if any.
PPs Submission: Complied Noted		Date: 30/06/2026
39	Statutory compliance	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981. The Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1986 and its amendments, the public liability insurance act, 1991 and its amendments.
PPs Submission: Complied Noted		Date: 30/06/2026
40	Statutory compliance	Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under section 16 of the National Green Tribunal Act 2010.
PPs Submission: Complied Noted		Date: 30/06/2026
41	Risk Mitigation and Disaster Management	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
PPs Submission: Complied Noted		Date: 30/06/2026
Visit Remarks		
Last Site Visit Report Date:		06/04/2023
Additional Remarks:		No
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.		